

# Data Acceptance Program Client Information

File Number: DA509  
 Party Site Number: 32595  
 Company: Prodigy Technology Consultant Co Ltd  
 Anniversary Date: 2023-06-21  
 Test Facility Status: A  
 Program Type: TPTDP  
 Country: TW  
 State:  
 Address: 12 Gong 7th Rd Linkou District New Taipei 24450

Document Number: Form-ULID-000860 (DCS:00-OP-F0859)  
 Issue #: 4.1  
 Issued Date: 2017-02-24  
 Effective Date: 2019-10-24

INSTRUCTIONS

If all tests validated by a single technical auditor, enter name and CCN(s) -----

No need to reenter TA name on the individual tests.

If all validated tests performed by the same technician, enter name -----

No need to reenter technician's name on the individual tests.

Note 1: If no NCRs are listed, all tests were successfully validated

Note 2: "Scope Status" - Initially all tests are marked "A" as active. Use options below to mark tests with an appropriate option **a, b, or c**:

a) Insert label "Add" if a test is added during this assessment

b) Insert label "Remove" if a test is removed during this assessment.

c) Insert label "X" if a test is validated.

Note 3: "Accepted for witnessing by LSV" is for CTF only and insert Label "LSV".

Note 4: "Standard Edition" includes all editions of standards used by the lab.

Signatory Name	Signatory Status
FRANK CHANG	A
HANK JU	A
TONY HSU	A
YAMA CHENG	A

Standard Number	Standard Name	Standard Edition (Amendment)	Clause Name	Test Name	Scope Status	Acceptable for witnessing by LSV Note 3:	Technician Performing Test	Technical Auditor's Name & Test CCN:	NCR REF Number	Brief Comment (AS REQUIRED)
10CFR430, Subpart B, Appendix Y	Uniform Test Method for Measuring the Energy Consumption of Battery Chargers	2022	3	TESTING REQUIREMENTS FOR ALL BATTERY CHARGERS OTHER THAN UNINTERRUPTIBLE POWER SUPPLIES	A		Tom Chen / Kevin Chiang	Yvonne Law/ENVP		Compliance
10CFR430, Subpart B, Appendix Y1	Uniform Test Method for Measuring the Energy Consumption of Battery Chargers	2022	3	TESTING REQUIREMENTS FOR ALL BATTERY CHARGERS OTHER THAN UNINTERRUPTIBLE POWER SUPPLIES AND OPEN-PLACEMENT WIRELESS CHARGERS	A		Tom Chen / Kevin Chiang	Yvonne Law/ENVP	3	Missing the information of THD, crest factor data in the Test Report.
CSA-C381.2	Energy Performance of Battery-Charging Systems and Uninterruptible Power Supplies	3	4	MEASUREMENT CONDITIONS	A		Tom Chen / Kevin Chiang	Yvonne Law/ENVP		Compliance
CSA-C381.2	Energy Performance of Battery-Charging Systems and Uninterruptible Power Supplies	3	5	TEST PROCEDURE FOR BATTERY CHARGERS OTHER THAN UPS	A		Tom Chen / Kevin Chiang	Yvonne Law/ENVP		Compliance
CSA-C381.2	Energy Performance of Battery-Charging Systems and Uninterruptible Power Supplies	3	6	RECORDING GENERAL DATA ON THE UUT OTHER THAN UPS	A		Tom Chen / Kevin Chiang	Yvonne Law/ENVP		Compliance
CSA-C381.2	Energy Performance of Battery-Charging Systems and Uninterruptible Power Supplies	3	7	UNIT ENERGY CONSUMPTION (UEC) CALCULATION FOR BATTERY CHARGERS OTHER THAN UPS	A		Tom Chen / Kevin Chiang	Yvonne Law/ENVP		Compliance
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	11	TEMPERATURE	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	11.6.2	Overflow in ME equipment	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	11.6.3	Spillage on ME equipment and ME systems	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	11.6.5	Ingress of water or particulate matter into ME equipment and ME systems (up to IP22)	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	11.6.6	Cleaning and disinfection of ME equipment and ME systems	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	11.8	INTERRUPTION OF POWER SUPPLY	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	13	ABNORMAL OPERATION TESTING	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	13.1.2	EMISSIONS, DEFORMATION OF ENCLOSURE OR EXCEEDING MAXIMUM TEMPERATURE	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	15.3	MECHANICAL STRENGTH	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	15.4.3	REVERSED BATTERY CONNECTION/OVERCHARGING	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	15.5.1	OVERHEATING OF TRANSFORMERS IN ME EQUIPMENT	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	4.11	POWER INPUT	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	5.7	HUMIDITY CONDITIONING	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	5.9.2	DETERMINATION OF ACCESSIBLE PARTS	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	7.1.2	LEGIBILITY OF MARKINGS	A					
AAMI ES60601-1	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance	1	7.1.3B)	DURABILITY OF MARKINGS	A					











UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.3.5	CONNECTOR CURRENT INTERRUPTION	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.3.6	DIRECT PLUG-IN RESISTANCE TO CRUSHING	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.3.6	DIRECT PLUG-IN ROD PRESSURE	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.3.6	DIRECT PLUG-IN BLADE SECUREMENT	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.3.6	DIRECT PLUG-IN SECURITY OF INPUT CONTACTS	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.3.6	DIRECT PLUG-IN EQUIPMENT-MOMENT	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.3.8	LITHIUM BATTERY REVERSE CURRENT MEASUREMENT	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.3.8	BATTERY TEST	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.5.1, 1.4.12, 1.4.13	HEATING TEST	A		Johnson Huang	Timothy Lai/NWQG & QQGQ		Compliance
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	4.5.5, 4.5	BALL PRESSURE	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.1, ANNEX D	TOUCH CURRENT (SINGLE-PHASE; TN/TT SYSTEM)	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.1.8.1	LIMITATION OF THE TOUCH CURRENT TO A TELECOMMUNICATIONS NETWORK AND A CABLE DISTRIBUTION SYSTEM (SINGLE-PHASE)	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.1.8.3	LIMITATION OF TOUCH CURRENT DUE TO RINGING SIGNALS	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.2.2	ELECTRIC STRENGTH	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.3.1, 5.3.4, 5.3.7	COMPONENT FAILURE	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.3.1-5.3.9	ABNORMAL OPERATION.	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.3.3, 5.3.7B, ANNEX C.1	TRANSFORMER ABNORMAL OPERATION	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.3.7	POWER SUPPLY OUTPUT SHORT-CIRCUIT/OVERLOAD	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	5.3.7	OVERLOAD OF OPERATOR ACCESSIBLE CONNECTOR	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	6.2.2, 6.2.2.1	ELECTRIC STRENGTH: IMPULSE TEST	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	6.2.2, 6.2.2.2	ELECTRIC STRENGTH TEST PROCEDURE: STEADY STATE	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	7.3, 6.2.2, 6.2.2.1	CABLE DISTRIBUTION SYSTEM-ELECTRIC STRENGTH: IMPULSE	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	7.3, 6.2.2, 6.2.2.2	CABLE DISTRIBUTION SYSTEM, ELECTRIC STRENGTH TEST PROCEDURE, STEADY-STATE TEST	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	7.4.2	CABLE DISTRIBUTION SYSTEM-VOLTAGE SURGE	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	7.4.3	CABLE DISTRIBUTION SYSTEM-IMPULSE	A					
UL 60950-1/CSA-C22.2 No. 60950-1	Information Technology Equipment - Safety - 2 Part 1: General Requirements	ANNEX B.7	LOCKED-ROTOR OVERLOAD FOR DC MOTORS IN SECONDARY CIRCUITS	A					


